HITVIKA INDUSTRIES

LED LIGHTING MANUFACTURER · GANDHINAGAR

Product *Catalogue*

PANEL · COB · STREET · FLOOD · HIGHBAY · DECORATIVE · POLES · PENDANTS

EDITION 2026–27

HITVIKAINDUSTRIES.COM

THE COMPANY

Light, engineered *with intent.*

Hitvika Industries is an LED lights manufacturer based in Electronics GIDC, Gandhinagar, Gujarat. We make indoor and outdoor luminaires — panel, COB, street, flood, highbay and decorative lights and poles — for commercial, industrial, hospitality and residential spaces.



01

Manufacturing

Our unit is located at B-202/203, Sector-25, Electronics GIDC, Gandhinagar — an established electronics industrial estate in Gujarat.

02

Quality

Careful production with attention to finish, consistency and dependable performance across every product family.

03

Custom & OEM

Specifications, finishes and branding tailored to your project or product line, on request.

04

Bulk supply

Volume supply for dealers, contractors and project buyers, with clear communication on timelines.

8
PRODUCT FAMILIES

198
MODELS IN THIS CATALOGUE

OWNER
Virendrasinh Vaghela
HITVIKA INDUSTRIES

CONTENTS

Index

01 LED Panel Lights — PANEL & DEEP DOWNLIGHTS 05

02 LED COB Lights — COB, LINEAR, CYLINDER, HANGING & TRACK 15

03 LED Street Lights — ROADWAY LUMINAIRES & BRACKETS 35

04 LED Flood Lights — AREA, LENS, RGB & STADIUM FLOODS 38

05 LED Highbay Lights — HIGH BAY & WELL GLASS 43

06 Decorative Lights — SPIKE, MIRROR, WALL & EXTENDED RANGE 45

07 Decorative Poles — GARDEN, BOLLARD & LANDSCAPE POLES 54

08 Pendant & Linear Lights — HANGING RINGS, HEXAGONS, TRIANGLES & LINEAR 72

LED PANEL LIGHTS

HI-101	Lyra Recessed Panel	06
HI-102	Lyra Surface Panel	06
HI-103	Vega Rimless Panel	07
HI-104	Vega Rimless Surface	07
HI-105	Rigel Deep Downlight	08
HI-106	Capella Deep Downlight	08
HI-107	Sirius Deep Reflector Panel	09
HI-108	Sirius Deep Reflector Surface	09
HI-109	Orion Recessed Panel	10
HI-110	Orion Surface Panel	10
HI-111	Altair Recessed Panel	11
HI-112	Pavo Round Surface	11
HI-113	Cygnus Colour Panel	12
HI-114	Cygnus Colour Surface	12
HI-115	Aquila Colour Junction	13
HI-116	Carina Adjustable Downlight	13
HI-117	Perseus Surface Downlight	14
HI-118	Hydra Surface Light	14

LED COB LIGHTS

HI-301	Opal Button	16
HI-302	Topaz Button	16
HI-303	Jade PC Downlight	17
HI-304	Onyx AL Downlight	17
HI-305	Beryl Downlight	18
HI-306	Garnet Downlight	18
HI-307	Agate Downlight	19
HI-308	Zircon Downlight	19
HI-309	Citrine Downlight	20
HI-311	Quartz Downlight	20
HI-312	Amber Arc Downlight	21
HI-313	Peridot Spot	21
HI-314	Spinel Spot	22
HI-331	Tanzanite Downlight	22
HI-332	Moonstone Downlight	23
HI-333	Kunzite Rimless Downlight	23
HI-334	Sapphire Zoom Wall Washer	24
HI-315	Ruby Pull-Out Spot	24
HI-316	Ruby Twin Pull-Out	25
HI-317	Iolite Linear COB	25
HI-318	Iolite Grand Linear	26
HI-320	Emerald Twin Spot	26
HI-321	Pearl Cylinder	27
HI-321(B)	Pearl Tilt Cylinder	27
HI-322	Coral Cylinder	28
HI-323	Turquoise IP65 Cylinder	28
HI-324	Larimar Rimless Cylinder	29
HI-325	Tourmaline Swivel Cylinder	29
HI-335	Jasper Cylinder	30
HI-327	Obsidian Wall Light	30
HI-328(A)	Lapis Diffuser Linear	31
HI-328(B)	Lapis Lens-Diffuser Linear	31
HI-328(C)	Lapis Lens Linear	32
HI-329(A)	Carnelian Track Spot	32
HI-329(B)	Carnelian Track Rail	33
HI-330	Carnelian Wall Spot	33
HI-336	Chalcedony Vertical Track Spot	34

LED STREET LIGHTS

HI-701	Sabarmati Street Light	36
HI-702	Narmada Street Light	36
HI-703	Tapi Street Light	37
HI-704	Mahi Wall Bracket	37
HI-705	Mahi Pole Bracket	37

LED FLOOD LIGHTS

HI-801	Everest Flood Light	39
HI-802	Kailash Flood Light	39
HI-803	Girnar Flood Light	40
HI-804	Denali Lens Flood Light	40
HI-805	Fuji Duo Flood Light	41
HI-806	Alps RGB Flood Light	41
HI-807	Himalaya Stadium Flood Light	42

LED HIGHBAY LIGHTS

HI-901	Aravalli High Bay	44
HI-902	Satpura Well Glass High Bay	44

DECORATIVE LIGHTS

HI-501	Jasmine Garden Spike IP65	46
HI-501(B)	Lotus Landscape Light	46
HI-502	Lily Mirror Light	47
HI-503	Iris Mirror Light	47
HI-504	Camellia Mirror Light	48
HI-505	Magnolia Wall Light	48
HI-506	Tulip Study Lamp	49
HI-507	Peony Bulkhead	49
HI-508	Dahlia Junction Light	50
HI-509(A)	Marigold Wall Spot	50
HI-509(B)	Marigold Spot IP65	51
HI-510	Lavender Foot Light	51
HI-511	Daisy Wall Cylinder	52
HI-512	Freesia Surface COB	52
HI-513	Bluebell Tube Light	53
HI-514	Poppy Cabinet Light	53

CODES USED IN SPECIFICATIONS

WH White · **NW** Natural white · **WW** Warm white · **5K** 5000K · **3IN1** 3-in-1 colour · **RGB** Red-green-blue · **BL / GR / PK** Blue / Green / Pink · **BK** Black · **RG** Rose gold · **GUN BK** Gun black · **RD** Round (shape) · Red (colour) · **SQ** Square

CONTENTS

Index *continued*

DECORATIVE POLES — PAGE 54 ONWARDS

HI-1201	Amer Garden Pole	55
HI-1202	Mehrangarh Garden Pole	55
HI-1203	Jaisalmer Garden Pole	55
HI-1204	Kumbhal Garden Pole	55
HI-1205	Chittor Garden Pole	55
HI-1206	Ranthambhor Garden Pole	55
HI-1207	Gwalior Garden Pole	56
HI-1208	Orchha Garden Pole	56
HI-1209	Datia Garden Pole	56
HI-1210	Golconda Garden Pole	56
HI-1211	Hawamahal Garden Pole	56
HI-1212	Jalmahal Garden Pole	56
HI-1213	Nahargarh Garden Pole	57
HI-1214	Jaigarh Garden Pole	57
HI-1215	Sajjangarh Garden Pole	57
HI-1216	Fatehgarh Garden Pole	57
HI-1217	Taragarh Garden Pole	57
HI-1218	Bundi Garden Pole	57
HI-1219	Kota Garden Pole	58
HI-1220	Mandu Garden Pole	58
HI-1221	Chanderi Garden Pole	58
HI-1222	Kalinjar Garden Pole	58
HI-1223	Bhangarh Garden Pole	58
HI-1224	Sonargarh Garden Pole	58
HI-1225	Junagarh Garden Pole	59
HI-1226	Lalgarh Garden Pole	59
HI-1227	Umaid Garden Pole	59
HI-1228	Rambagh Garden Pole	59
HI-1229	Samode Garden Pole	59
HI-1230	Neemrana Garden Pole	59
HI-1231	Deogarh Garden Pole	60
HI-1232	Mandawa Garden Pole	60
HI-1233	Nawalgarh Garden Pole	60
HI-1234	Dundlod Garden Pole	60
HI-1235	Alsisar Garden Pole	60
HI-1236	Kishangarh Garden Pole	60
HI-1237	Pushkar Garden Pole	61
HI-1238	Sambhar Garden Pole	61
HI-1239	Bikaner Garden Pole	61
HI-1240	Laxmivilas Garden Pole	61
HI-1241	Nazarbagh Garden Pole	61
HI-1242	Pratapvilas Garden Pole	61
HI-1243	Vijayvilas Garden Pole	62
HI-1244	Ainamahal Garden Pole	62
HI-1245	Pragmahal Garden Pole	62
HI-1246	Adalaj Garden Pole	62
HI-1247	Sarkhej Garden Pole	62
HI-1248	Bhadra Garden Pole	62
HI-1249	Jhulta Garden Pole	63
HI-1250	Champaner Garden Pole	63
HI-1251	Pavagadh Garden Pole	63
HI-1252	Uperkot Garden Pole	63
HI-1253	Palitana Garden Pole	63
HI-1254	Modhera Garden Pole	63
HI-1255	Siddhpur Garden Pole	64
HI-1256	Patan Garden Pole	64
HI-1257	Dholavira Garden Pole	64
HI-1258	Lothal Garden Pole	64
HI-1259	Hampi Garden Pole	64
HI-1260	Vijaynagar Garden Pole	64
HI-1261	Daulatabad Garden Pole	65
HI-1262	Raigad Garden Pole	65
HI-1263	Sinhagad Garden Pole	65
HI-1264	Pratapgad Garden Pole	65
HI-1265	Shivneri Garden Pole	65
HI-1266	Panhala Garden Pole	65
HI-1267	Gingee Garden Pole	66
HI-1268	Vellore Garden Pole	66
HI-1269	Kangra Garden Pole	66
HI-1270	Sheeshmahal Garden Pole	66
HI-1271	Motimahal Garden Pole	66
HI-1272	Rangmahal Garden Pole	66
HI-1273	Hazarduari Garden Pole	67
HI-1274	Dilkusha Garden Pole	67
HI-1275	Shalimar Garden Pole	67
HI-1276	Nishat Garden Pole	67
HI-1277	Fatehpur Garden Pole	67
HI-1278	Sikandra Garden Pole	67
HI-1279	Mandvi Garden Pole	68
HI-1280	Bhuj Garden Pole	68
HI-1281	Dwarka Garden Pole	68
HI-1282	Somnath Garden Pole	68
HI-1283	Taranga Garden Pole	68
HI-1284	Gondal Garden Pole	68
HI-1285	Morbi Garden Pole	69
HI-1286	Wankaner Garden Pole	69
HI-1287	Limbdi Garden Pole	69
HI-1288	Dhrangadhra Garden Pole	69
HI-1289	Idar Garden Pole	69
HI-1290	Vadnagar Garden Pole	69
HI-1291	Bijapur Garden Pole	70
HI-1292	Bidar Garden Pole	70
HI-1293	Raichur Garden Pole	70
HI-1294	Gulbarga Garden Pole	70
HI-1295	Mysuru Garden Pole	70
HI-1296	Hoysala Garden Pole	70
HI-1297	Belur Garden Pole	71
HI-1298	Halebid Garden Pole	71
HI-1299	Badami Garden Pole	71

PENDANT & LINEAR LIGHTS — PAGE 72 ONWARDS

HI-1301	Bhairav Ring Pendant	73
HI-1302	Yaman Drum Pendant	73
HI-1303	Malhar Hexagon Pendant	74
HI-1304	Darbari Triangle Pendant	74
HI-1305	Kedar Hexagon Moon Pendant	75
HI-1306	Bageshri Capsule Pendant	75
HI-1307	Todi Y-Shape Pendant	76
HI-1308	Marwa Frame Pendant	76
HI-1309	Puriya Triangle Moon Pendant	77
HI-1310	Hamsadhwani Linear Pendant	77
HI-1311	Bilawal Wave Pendant	78
HI-1312	Kafi Wave Panel	78
HI-1313	Deepak Panel Pendant	79
HI-1314	Shree Rounded Linear Pendant	79



01

PANEL & DEEP DOWNLIGHTS

LED Panel Lights

Slim, evenly lit recessed and surface panels, plus deep anti-glare downlights, for clean ceilings and calm, comfortable illumination.

APPLICATIONS

Offices | Schools | Hospitals | Corridors | Homes

IN THIS SECTION

HI-101	Lyra Recessed Panel	p. 06	**HI-107**	Sirius Deep Reflector Panel	p. 09	**HI-113**	Cygnus Colour Panel	p. 12
HI-102	Lyra Surface Panel	p. 06	**HI-108**	Sirius Deep Reflector Surface	p. 09	**HI-114**	Cygnus Colour Surface	p. 12
HI-103	Vega Rimless Panel	p. 07	**HI-109**	Orion Recessed Panel	p. 10	**HI-115**	Aquila Colour Junction	p. 13
HI-104	Vega Rimless Surface	p. 07	**HI-110**	Orion Surface Panel	p. 10	**HI-116**	Carina Adjustable Downlight	p. 13
HI-105	Rigel Deep Downlight	p. 08	**HI-111**	Altair Recessed Panel	p. 11	**HI-117**	Perseus Surface Downlight	p. 14
HI-106	Capella Deep Downlight	p. 08	**HI-112**	Pavo Round Surface	p. 11	**HI-118**	Hydra Surface Light	p. 14



RECESSED PANEL

HI-101

Lyra Recessed Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D120*H8mm	105 mm	WH/NW/WW/3IN1
12W	D145*H8mm	125 mm	WH/NW/WW
15W	D170*H8mm	150 mm	WH/NW/WW/3IN1
18W	D190*H8mm	175 mm	WH/NW/WW
22W	D220*H8mm	205 mm	WH/NW/WW/3IN1
30W	D300*H8mm	280 mm	WH
40W	D600*H40mm	595 mm	WH/NW
48W	D600*H40mm	595 mm	WH
48W (1X4)	—	—	WH



SURFACE PANEL

HI-102

Lyra Surface Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
15W	D170*H23mm	—	WH/NW/WW
22W	D220*H23mm	—	WH/NW/WW
30W	D300*H23mm	—	WH
40W	D600*H50mm	—	WH/NW
48W	D600*H50mm	—	WH



RECESSED PANEL

HI-103

Vega Rimless Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D85*H6mm	75 mm	WH/NW
15W	D145*H6mm	120 mm	WH/NW
22W	D170*H6mm	150 mm	WH/NW



SURFACE PANEL

HI-104

Vega Rimless Surface

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D95*H30mm	—	WH/NW
15W	D145*H30mm	—	WH/NW
22W	D195*H30mm	—	WH/NW



DEEP LIGHT

HI-105

Rigel Deep Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 120°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D120*H50mm	110 mm	WH/NW/WW/5K/3IN1/D&T
18W	D150*H50mm	145 mm	WH/NW/WW/5K/3IN1/D&T
24W	D175*H50mm	165 mm	WH/NW/WW/5K/3IN1/D&T



DEEP LIGHT

HI-106

Capella Deep Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 120°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D120*H65mm	105 mm	WH/NW/WW/3IN1
15W 5"	D150*H65mm	130 mm	WH/NW/WW/3IN1
15W 6"	D170*H65mm	155 mm	WH/NW/WW/3IN1
22W	D170*H65mm	155 mm	WH/NW/WW/3IN1



DEEP LIGHT

HI-107

Sirius Deep Reflector Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 120°
REFLECTOR RG/GUN BK/WH (12W/18W)

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D80*H50mm	75 mm	WH/NW/WW/3IN1
12W	D100*H50mm	95 mm	WH/NW/WW/5K/3IN1/D&T
18W	D130*H50mm	125 mm	WH/NW/WW/5K/3IN1/D&T
24W	D150*H50mm	145 mm	WH/NW/WW/5K/3IN1/D&T



DEEP LIGHT

HI-108

Sirius Deep Reflector Surface


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BODY SHAPE RD BEAM ANGLE 120°
REFLECTOR RG/GUN BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D90*H65mm	—	WH/NW/WW/3IN1
18W	D120*H65mm	—	WH/NW/WW/3IN1



RECESSED PANEL

HI-109

Orion Recessed Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D120*H8mm	105 mm	WH/NW/WW/3IN1
15W	D170*H8mm	155 mm	WH/NW/WW/3IN1
22W	D220*H8mm	205 mm	WH/NW/WW/3IN1
30W	D300*H8mm	275 mm	WH



SURFACE PANEL

HI-110

Orion Surface Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D110*H24mm	—	WH/NW/WW
15W	D155*H24mm	—	WH/NW/WW
22W	D220*H24mm	—	WH/NW/WW
30W	D295*H24mm	—	WH



RECESSED PANEL

HI-111

Altair Recessed Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W 4"	D120*H35mm	100 mm	WH/NW/WW/3IN1
15W 5"	D145*H35mm	125 mm	WH/NW/WW/3IN1
15W 6"	D170*H35mm	150 mm	WH/NW/WW/3IN1
22W 6"	D170*H35mm	150 mm	WH/NW/WW/3IN1
8W-4" Ring	—	—	—
15W-5" Ring	—	—	—
15/22W-6" Ring	—	—	—



SURFACE PANEL

HI-112

Pavo Round Surface

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
8W	D95*H30mm	—	WH/NW/WW/3IN1
15W 5"	D125*H30mm	—	WH/NW/WW/3IN1
15W 6"	D145*H30mm	—	WH/NW/WW/3IN1
22W	D145*H30mm	—	WH/NW/WW/3IN1



RECESSED PANEL

HI-113

Cygnus Colour Panel

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
3+3W	D100*H8mm	65 mm	WH+PGB
6+3W	D145*H8mm	105 mm	WH+PGB
12+4W	D195*H8mm	155 mm	WH+PGB
3+3 (Jelly)	D100*H8mm	65 mm	WH+PGB
6+3 (Jelly)	D145*H8mm	105 mm	WH+PGB



SURFACE PANEL

HI-114

Cygnus Colour Surface

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD / SQ BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
3+3W	D100*H30mm	—	WH+PGB
6+3W	D145*H30mm	—	WH+PGB
12+4W	D195*H30mm	—	WH+PGB



JUNCTION PANEL

HI-115

Aquila Colour Junction


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7+7W	—	50 mm	WH+PGB
12+12W	—	50 mm	WH+PGB



ADJUSTABLE PANEL

HI-116

Carina Adjustable Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
15W	—	60-110 mm	WH/NW/WW/3IN1
22W	—	60-130 mm	WH/NW/WW/3IN1



SURFACE DOWNLIGHT

HI-117

Perseus Surface Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 180°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
16W	D120*H40mm	—	WH/NW
24W	D170*H40mm	—	WH/NW
36W	D220*H40mm	—	WH



DEEP SURFACE LIGHT

HI-118

Hydra Surface Light

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK/GREY/ANTIQ COPPER BODY SHAPE RD
BEAM ANGLE 120°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D85*H65mm	—	WH/NW
18W	D110*H65mm	—	WH/NW



02

COB, LINEAR, CYLINDER, HANGING & TRACK

LED COB Lights

Focused, high-quality beams from chip-on-board downlights, pull-outs, linear fittings, cylinders, hanging profiles and track spots.

APPLICATIONS Showrooms Retail Homes Lobbies Hospitality

IN THIS SECTION

HI-301	Opal Button	p. 16	**HI-331**	Tanzanite Downlight	p. 22	**HI-324**	Larimar Rimless Cylinder	p. 29
HI-302	Topaz Button	p. 16	**HI-332**	Moonstone Downlight	p. 23	**HI-325**	Tourmaline Swivel Cylinder	p. 29
HI-303	Jade PC Downlight	p. 17	**HI-333**	Kunzite Rimless Downlight	p. 23	**HI-335**	Jasper Cylinder	p. 30
HI-304	Onyx AL Downlight	p. 17	**HI-334**	Sapphire Zoom Wall Washer	p. 24	**HI-327**	Obsidian Wall Light	p. 30
HI-305	Beryl Downlight	p. 18	**HI-315**	Ruby Pull-Out Spot	p. 24	**HI-328(A)**	Lapis Diffuser Linear	p. 31
HI-306	Garnet Downlight	p. 18	**HI-316**	Ruby Twin Pull-Out	p. 25	**HI-328(B)**	Lapis Lens-Diffuser Linear	p. 31
HI-307	Agate Downlight	p. 19	**HI-317**	Iolite Linear COB	p. 25	**HI-328(C)**	Lapis Lens Linear	p. 32
HI-308	Zircon Downlight	p. 19	**HI-318**	Iolite Grand Linear	p. 26	**HI-329(A)**	Carnelian Track Spot	p. 32
HI-309	Citrine Downlight	p. 20	**HI-320**	Emerald Twin Spot	p. 26	**HI-329(B)**	Carnelian Track Rail	p. 33
HI-311	Quartz Downlight	p. 20	**HI-321**	Pearl Cylinder	p. 27	**HI-330**	Carnelian Wall Spot	p. 33
HI-312	Amber Arc Downlight	p. 21	**HI-321(B)**	Pearl Tilt Cylinder	p. 27	**HI-336**	Chalcedony Vertical Track Spot	p. 34
HI-313	Peridot Spot	p. 21	**HI-322**	Coral Cylinder	p. 28			
HI-314	Spinel Spot	p. 22	**HI-323**	Turquoise IP65 Cylinder	p. 28			



COB BUTTON LIGHT

HI-301

Opal Button

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH/BK+RG BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR	BODY COLOUR
1W	D30*H20mm	25 mm	WH/WW/BL/GR/PK	WH
1W	D30*H20mm	25 mm	WW	BK
1W	D32*H25mm	25 mm	WW	BK+RG
3W	D38*H22mm	30 mm	WH/WW/BL/GR/PK	WH
3W	D40*H26mm	30 mm	WW	BK+RG



COB BUTTON LIGHT

HI-302

Topaz Button

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK/RG BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR	BODY COLOUR
3W (Driver)	D38*H28mm	30 mm	WH/NW/WW	BK/WH/RG
3W (DOB)	D38*H28mm	30 mm	NW/WW	BK/WH/RG



COB DOWNLIGHT

HI-303

Jade PC Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 60°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
3W	D68*H38mm	55 mm	WH/NW/WW/3IN1, PK/BL/GR/RD
6W	D90*H40mm	70 mm	WW/WH



COB DOWNLIGHT

HI-304

Onyx AL Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 60°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
3W	D65*H30mm	55 mm	WH/NW/WW
7W	D90*H52mm	75 mm	WH/NW/WW/3IN1/D&T
12W	D90*H52mm	75 mm	WH/NW/WW/3IN1/D&T
18W	D115*H70mm	100 mm	WH/NW/WW/3IN1/D&T
24W	D135*H77mm	125 mm	WH/NW/WW/3IN1
30W	D135*H77mm	125 mm	WH/NW/WW



COB DOWNLIGHT

HI-305
Beryl Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D63*H56mm	55 mm	WH/NW/WW/5K/3IN1/D&T
12W	D85*H75mm	75 mm	WH/NW/WW/5K/3IN1/D&T
18W	D90*H88mm	80 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-306
Garnet Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR RG/GUN BK BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D63*H61mm	55 mm	WH/NW/WW/5K/3IN1/D&T
12W	D82*H78mm	75 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-307

Agate Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 36°
REFLECTOR WH/GUN BK/RG

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D70*H50mm	65 mm	WH/NW/WW/5K/3IN1/D&T
12W	D85*H60mm	80 mm	WH/NW/WW/5K/3IN1/D&T
18W	D95*H75mm	90 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-308

Zircon Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BODY SHAPE RD BEAM ANGLE 36°
REFLECTOR GUN BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D65*H50mm	55 mm	WH/NW/WW/5K/3IN1/D&T
12W	D80*H60mm	70 mm	WH/NW/WW/5K/3IN1/D&T
18W	D95*H70mm	85 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-309

Citrine Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D62*H45mm	55 mm	WH/NW/WW/5K/3IN1
18W	D80*H50mm	75 mm	WH/NW/WW/5K/3IN1
24W	D100*H63mm	90 mm	WH/NW/WW/5K/3IN1



COB DOWNLIGHT

HI-311

Quartz Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D60*H75mm	55 mm	WH/NW/WW/5K/3IN1/D&T
12W	D80*H95mm	75 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-312

Amber Arc Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	—	45 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-313

Peridot Spot

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/GUN BK/RG BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D80*H70mm	75 mm	WH/NW/WW/5K/3IN1/D&T



COB DOWNLIGHT

HI-314

Spinel Spot

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/GUN BK/RG BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D40*H55mm	35 mm	WH/NW/WW/5K
12W	D60*H65mm	55 mm	WH/NW/WW/5K



COB DOWNLIGHT

HI-331

Tanzanite Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D63*H40mm	55 mm	WH/NW/WW/5K/3IN1
12W	D78*H45mm	70 mm	WH/NW/WW/5K/3IN1
18W	D93*H45mm	85 mm	WH/NW/WW/5K/3IN1



COB DOWNLIGHT

HI-332

Moonstone Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D63*H75mm	55 mm	WH/NW/WW/5K/3IN1
12W	D73*H80mm	65 mm	WH/NW/WW/5K/3IN1
18W	D83*H80mm	75 mm	WH/NW/WW/5K/3IN1



COB DOWNLIGHT

HI-333

Kunzite Rimless Downlight

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	—	35 mm	WH/NW/WW/5K/3IN1
12W	—	45 mm	WH/NW/WW/5K/3IN1



COB WALL WASHER

HI-334

Sapphire Zoom Wall Washer

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD BEAM ANGLE 60°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
20W	D135*H105mm	115 mm	WH/NW/WW
30W	D165*H130mm	145 mm	WH/NW/WW



COB PULL-OUT

HI-315

Ruby Pull-Out Spot

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D85*H95mm	75 mm	WH/NW/WW/5K



COB PULL-OUT

HI-316

Ruby Twin Pull-Out

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
2*7W	D145*W70*H90mm	135*65 mm	WH/NW/WW
2*12W	D170*W85*H95mm	165*75 mm	WH/NW/WW



LINEAR LIGHT

HI-317

Iolite Linear COB

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BEAM ANGLE 36° REFLECTOR BK/RG

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	MODEL	COLOUR
6W	D95*W45*H32mm	85*35 mm	3 Eye	WH/NW/WW
10W	D148*W45*H32mm	139*35 mm	5 Eye	WH/NW/WW



LINEAR LIGHT

HI-318

Iolite Grand Linear

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BEAM ANGLE 36° REFLECTOR GUN BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	MODEL	COLOUR
12W	D135*W60*H50mm	128*50 mm	3 Eye	NW/WW
16W	D93*W93*H50mm	85*85 mm	4 Eye	NW/WW
20W	D210*W60*H50mm	200*50 mm	5 Eye	NW/WW



COB DOUBLE DOWNLIGHT

HI-320

Emerald Twin Spot

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH BODY SHAPE SQ BEAM ANGLE 36°
REFLECTOR GUN BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
2*7W	D135*W70*H50mm	125*55 mm	WH/NW/WW/5K
2*12W	D170*W85*H55mm	155*75 mm	WH/NW/WW/5K



CYLINDER LIGHT

HI-321
Pearl Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH BODY SHAPE RD BEAM ANGLE 36°
REFLECTOR GUN BK/RG

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D60*H72mm	—	WH/NW/WW/5K/3IN1
12W	D75*H90mm	—	WH/NW/WW/5K/3IN1
18W	D85*H110mm	—	WH/NW/WW/5K/3IN1
12W (On-Off Sensor)	D75*H85mm	—	NW

WH body available in 12W



CYLINDER LIGHT

HI-321(B)
Pearl Tilt Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BODY SHAPE RD BEAM ANGLE 36°
REFLECTOR GUN BK/RG

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D75*H95mm	—	WH/NW/WW/5K/3IN1



CYLINDER LIGHT

HI-322

Coral Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR SB/RG BODY SHAPE RD BEAM ANGLE 36°
REFLECTOR RG

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D70*H85mm	—	WH/NW/WW/5K/3IN1



CYLINDER LIGHT

HI-323

Turquoise IP65 Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BODY SHAPE RD BEAM ANGLE 36°
REFLECTOR GUN BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D60*H75mm	—	NW/WW
12W	D75*H85mm	—	NW/WW
18W	D85*H95mm	—	NW/WW



CYLINDER LIGHT

HI-324

Larimar Rimless Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	D85*H45mm	—	WH/NW
18W	D95*H53mm	—	WH/NW



CYLINDER LIGHT

HI-325

Tourmaline Swivel Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	—	—	WH/NW/WW



CYLINDER LIGHT

HI-335

Jasper Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR GREY/BR BODY SHAPE RD BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
7W	D58*H69mm	—	WH/NW/WW/5K/3IN1
12W	D72*H77mm	—	WH/NW/WW/5K/3IN1



WALL / CYLINDER LIGHT

HI-327

Obsidian Wall Light


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BEAM ANGLE 36° REFLECTOR GUN BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	—	—	WH/NW/WW



HANGING LINEAR 4FT

HI-328(A)

Lapis Diffuser Linear

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK/WOODEN

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
40W	D35*H70mm	—	WH/NW



HANGING LINEAR 4FT

HI-328(B)

Lapis Lens-Diffuser Linear


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
40W	D35*H70mm	—	NW



HANGING LINEAR 4FT

HI-328(C)

Lapis Lens Linear

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
40W	D35*H70mm	—	NW



TRACK LIGHT

HI-329(A)

Carnelian Track Spot

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
12W	—	—	WH/NW/WW/5K
20W	—	—	WH/NW/WW/5K
30W	—	—	WH/NW/WW/5K



TRACK ACCESSORIES

HI-329(B)

Carnelian Track Rail

SPECIFICATIONS

ITEM
1M
2M
I Jointer
L Jointer
Hanging kit (1 MTR)



WALL SPOT LIGHT

HI-330

Carnelian Wall Spot


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH BEAM ANGLE 36°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
3W	—	—	WH/WW
6W	—	—	WH/WW
9W	—	—	WH/WW
12W	—	—	WH/NW/WW
20W	—	—	WH/NW/WW
30W	—	—	WH/NW/WW





TRACK LIGHT

HI-336

Chalcedony Vertical Track Spot

KEY FEATURES

- Excellent CRI
- Surge shield up to 2.5 kV
- High lumen

BODY COLOUR BK/WH BEAM ANGLE 60°

SPECIFICATIONS

WATT	DIMENSION	CUT-OUT	COLOUR
30W	—	—	WH/NW/WW



03

ROADWAY LUMINAIRES & BRACKETS

LED Street Lights

Rugged aluminium roadway luminaires with surge protection and IP66 sealing for dependable night-time visibility.

APPLICATIONS Roads · Townships · Campuses · Parking

IN THIS SECTION

HI-701	Sabarmati Street Light	p. 36	**HI-703**	Tapi Street Light	p. 37	**HI-705**	Mahi Pole Bracket	p. 37
HI-702	Narmada Street Light	p. 36	**HI-704**	Mahi Wall Bracket	p. 37			



STREET LIGHT

HI-701

Sabarmati Street Light

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
24W	Up to 140 lm/W	120°	IP66	3K / 6K
36W	Up to 140 lm/W	120°	IP66	3K / 6K
50W	Up to 140 lm/W	120°	IP66	3K / 6K
72W	Up to 140 lm/W	120°	IP66	3K / 6K
100W	Up to 140 lm/W	120°	IP66	3K / 6K
150W	Up to 140 lm/W	120°	IP66	3K / 6K
200W	Up to 140 lm/W	120°	IP66	3K / 6K
250W	Up to 140 lm/W	120°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection



STREET LIGHT

HI-702

Narmada Street Light

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
24W	Up to 140 lm/W	120°	IP66	3K / 6K
36W	Up to 140 lm/W	120°	IP66	3K / 6K
50W	Up to 140 lm/W	120°	IP66	3K / 6K
72W	Up to 140 lm/W	120°	IP66	3K / 6K
100W	Up to 140 lm/W	120°	IP66	3K / 6K
150W	Up to 140 lm/W	120°	IP66	3K / 6K
200W	Up to 140 lm/W	120°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection

* Warranty coverage is confirmed with your quotation.



STREET LIGHT

HI-703

Tapi Street Light

KEY FEATURES

- Up to 200 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 25°/60°/90° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
24W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
36W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
45W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
50W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
100W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
150W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
200W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
250W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection




STREET LIGHT BRACKET

HI-704

Mahi Wall Bracket

MOUNTING	Double clamp with bolt fixing
APPLICATION	Street light installation



STREET LIGHT BRACKET

HI-705

Mahi Pole Bracket

MOUNTING	Cement pole mounting
BRACKET	Pole mounting clamps with bolt fixing
APPLICATION	Street light installation

* Warranty coverage is confirmed with your quotation.



04

AREA, LENS, RGB & STADIUM FLOODS

LED Flood Lights

High-output wide-area illumination for security, sport and architectural wash, from 30W up to 2000W.

APPLICATIONS Facades Sports grounds Yards Work sites

IN THIS SECTION

HI-801	Everest Flood Light	p. 39	**HI-804**	Denali Lens Flood Light	p. 40	**HI-807**	Himalaya Stadium Flood Light	p. 42
HI-802	Kailash Flood Light	p. 39	**HI-805**	Fuji Duo Flood Light	p. 41			
HI-803	Girnar Flood Light	p. 40	**HI-806**	Alps RGB Flood Light	p. 41			



FLOOD LIGHT

HI-801

Everest Flood Light

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
30W	Up to 140 lm/W	120°	IP66	3K / 6K
50W	Up to 140 lm/W	120°	IP66	3K / 6K
100W	Up to 140 lm/W	120°	IP66	3K / 6K
150W	Up to 140 lm/W	120°	IP66	3K / 6K
200W	Up to 140 lm/W	120°	IP66	3K / 6K
250W	Up to 140 lm/W	120°	IP66	3K / 6K
300W	Up to 140 lm/W	120°	IP66	3K / 6K
350W	Up to 140 lm/W	120°	IP66	3K / 6K
400W	Up to 140 lm/W	120°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection



FLOOD LIGHT

HI-802

Kailash Flood Light

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
50W	Up to 140 lm/W	120°	IP66	3K / 6K
100W	Up to 140 lm/W	120°	IP66	3K / 6K
200W	Up to 140 lm/W	120°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection

* Warranty coverage is confirmed with your quotation.



FLOOD LIGHT

HI-803

Girnar Flood Light

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
30W	Up to 140 lm/W	120°	IP66	3K / 6K
50W	Up to 140 lm/W	120°	IP66	3K / 6K
100W	Up to 140 lm/W	120°	IP66	3K / 6K
150W	Up to 140 lm/W	120°	IP66	3K / 6K
200W	Up to 140 lm/W	120°	IP66	3K / 6K
250W	Up to 140 lm/W	120°	IP66	3K / 6K
300W	Up to 140 lm/W	120°	IP66	3K / 6K
350W	Up to 140 lm/W	120°	IP66	3K / 6K
400W	Up to 140 lm/W	120°	IP66	3K / 6K
500W	Up to 140 lm/W	120°	IP66	3K / 6K
600W	Up to 140 lm/W	120°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection



LENS FLOOD LIGHT

HI-804

Denali Lens Flood Light

KEY FEATURES

- Up to 200 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 25°/60°/90° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
100W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
200W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
300W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
400W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
500W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
600W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection

* Warranty coverage is confirmed with your quotation.



FLOOD LIGHT

HI-805

Fuji Duo Flood Light

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
100W	Up to 140 lm/W	120°	IP66	3K / 6K
200W	Up to 140 lm/W	120°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection



RGB FLOOD LIGHT

HI-806

Alps RGB Flood Light

KEY FEATURES

- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 120° WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
50W	—	120°	IP66	—
100W	—	120°	IP66	—
200W	—	120°	IP66	—

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection

* Warranty coverage is confirmed with your quotation.





STADIUM FLOOD LIGHT

HI-807
Himalaya Stadium Flood Light

KEY FEATURES

- Up to 200 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external
- IP66 water & dust resistant

MATERIAL Aluminium BEAM ANGLE 25°/60°/90° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
120W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
250W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
350W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
500W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
600W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
700W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
1000W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
1200W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
1500W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K
2000W	Up to 200 lm/W	25°/60°/90°	IP66	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection

Precision optical configurations for project-specific stadium lighting

Multiple beam angle options

* Warranty coverage is confirmed with your quotation.



05

HIGH BAY & WELL GLASS

LED Highbay Lights

Powerful fittings that command tall industrial interiors with bright, even light.

APPLICATIONS Factories Warehouses Workshops Logistics

IN THIS SECTION

HI-901 Aravalli High Bay p. 44

HI-902 Satpura Well Glass High Bay p. 44



HIGH BAY LIGHT

HI-901

Aravalli High Bay

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
50W	Up to 140 lm/W	120°	—	3K / 6K
80W	Up to 140 lm/W	120°	—	3K / 6K
100W	Up to 140 lm/W	120°	—	3K / 6K
150W	Up to 140 lm/W	120°	—	3K / 6K
200W	Up to 140 lm/W	120°	—	3K / 6K
250W	Up to 140 lm/W	120°	—	3K / 6K
300W	Up to 140 lm/W	120°	—	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection



WELL GLASS LIGHT

HI-902

Satpura Well Glass High Bay

KEY FEATURES

- Up to 140 lumens/W
- Power factor >0.90
- AC 85-300V @ 50 Hz
- Operating temp. -10°C to 50°C
- Surge protection 6KV internal & 10KV external

MATERIAL Aluminium BEAM ANGLE 120° CCT 3K / 6K
WARRANTY 2 years*

SPECIFICATIONS

WATT	EFFICACY	BEAM ANGLE	IP RATING	CCT
50W	Up to 140 lm/W	120°	—	3K / 6K
80W	Up to 140 lm/W	120°	—	3K / 6K
100W	Up to 140 lm/W	120°	—	3K / 6K
150W	Up to 140 lm/W	120°	—	3K / 6K
200W	Up to 140 lm/W	120°	—	3K / 6K

Over voltage protection (above 320V auto cut-off), short circuit protection, over temperature protection

* Warranty coverage is confirmed with your quotation.



06

SPIKE, MIRROR, WALL & EXTENDED RANGE

Decorative Lights

Decorative and accent LED lighting — landscape spikes, mirror and wall lights, step lights and more — pieces that give a space its character.

APPLICATIONS Homes · Hotels · Restaurants · Lounges · Gardens

IN THIS SECTION

HI-501	Jasmine Garden Spike IP65	p. 46	**HI-506**	Tulip Study Lamp	p. 49	**HI-511**	Daisy Wall Cylinder	p. 52
HI-501(B)	Lotus Landscape Light	p. 46	**HI-507**	Peony Bulkhead	p. 49	**HI-512**	Freesia Surface COB	p. 52
HI-502	Lily Mirror Light	p. 47	**HI-508**	Dahlia Junction Light	p. 50	**HI-513**	Bluebell Tube Light	p. 53
HI-503	Iris Mirror Light	p. 47	**HI-509(A)**	Marigold Wall Spot	p. 50	**HI-514**	Poppy Cabinet Light	p. 53
HI-504	Camellia Mirror Light	p. 48	**HI-509(B)**	Marigold Spot IP65	p. 51			
HI-505	Magnolia Wall Light	p. 48	**HI-510**	Lavender Foot Light	p. 51			





SPIKE LIGHT

HI-501

Jasmine Garden Spike IP65


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK

SPECIFICATIONS

WATT	COLOUR
3W	WW/GR/BL
5W	WW/GR/BL/RGB
9W	WW
12W	WW



LANDSCAPE LIGHT

HI-501(B)

Lotus Landscape Light


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK

SPECIFICATIONS

WATT	COLOUR	24V DRIVER
12W (220V AC)	WW	No
12W (24V DC)	WW	Yes (60W/100W/200W)





MIRROR LIGHT

HI-502

Lily Mirror Light

BODY COLOUR WH

SPECIFICATIONS

SIZE	TYPE	COLOUR
6W	Slim/Curve	WH/WW
12W	Slim/Curve	WH/WW





MIRROR LIGHT


HI-503

Iris Mirror Light

BODY COLOUR WH+RG/BK+RG

SPECIFICATIONS

WATT	TYPE	COLOUR
6W	Slim	3IN1
12W	Slim	3IN1





MIRROR LIGHT

HI-504

Camellia Mirror Light

BODY COLOUR BK

SPECIFICATIONS

SIZE	TYPE	COLOUR
16+2W	Slim	3IN1





WALL LIGHT

HI-505

Magnolia Wall Light

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK

SPECIFICATIONS

MODEL	COLOUR
K Half	WW
K Full	WW





STUDY / READING LIGHT

HI-506

Tulip Study Lamp


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH

SPECIFICATIONS

SIZE	COLOUR
3W	WW





BULKHEAD LIGHT

HI-507

Peony Bulkhead

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH

SPECIFICATIONS

WATT	COLOUR
10W	WH/WW
20W	WH/WW





JUNCTION LIGHT

HI-508

Dahlia Junction Light


KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH BODY SHAPE RD

SPECIFICATIONS

WATT	COLOUR
3W	WH/WW/BL/PK/RD/GR/3IN1/RGB
7W	WH/WW/BL/PK/RD/GR/3IN1/RGB



SURFACE SPOT LIGHT

HI-509(A)

Marigold Wall Spot

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH/BK BODY SHAPE RD

SPECIFICATIONS

WATT	BODY	COLOUR
3W	WH	WH/WW/BL/PK/RD/GR
3W	BK	WW



SURFACE SPOT LIGHT

HI-509(B)

Marigold Spot IP65

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen | IP65

BODY COLOUR BK

SPECIFICATIONS

WATT	COLOUR
3W	WW





STEP / FOOT LIGHT

HI-510

Lavender Foot Light

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen | IP65

BODY COLOUR WH/BK

SPECIFICATIONS

MODEL	TYPE	COLOUR
2M	Conceal	WW
2M Sensor	Conceal	WW
4M	Conceal	WW
2M	Surface	WW
4M	Surface	WW





WALL LIGHT

HI-511

Daisy Wall Cylinder

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK

SPECIFICATIONS

WATT	COLOUR
5W	WW
10W	WW





SURFACE COB LIGHT

HI-512

Freesia Surface COB

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR BK/WH

SPECIFICATIONS

WATT	COLOUR
3W	WW





TUBE LIGHT

HI-513

Bluebell Tube Light

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH

SPECIFICATIONS

SIZE	LENGTH	COLOUR
20W	4FT	WH
36W	4FT	WH





CABINET LIGHT

HI-514

Poppy Cabinet Light

KEY FEATURES

Excellent CRI | Surge shield up to 2.5 kV | High lumen

BODY COLOUR WH

SPECIFICATIONS

SIZE	COLOUR
1FT	WH/WW
2FT	WH/WW



07

GARDEN, BOLLARD & LANDSCAPE POLES

Decorative Poles

Heritage-inspired decorative LED poles and bollards — 99 designs in 600, 900 and 1200 mm heights — to frame gardens, driveways, pathways and hospitality landscapes.

APPLICATIONS

- Gardens
- Resorts
- Villas
- Pathways
- Driveways

IN THIS SECTION

99 decorative pole models, HI-1201 to HI-1299 — each with 5–50 W power options, 3000K / 4000K / 6000K and a powder-coated finish. Full model list in the index.



DECORATIVE POLE

HI-1201
Amer Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1202
Mehrangarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1203
Jaisalmer Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1204
Kumbhal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1205
Chittor Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1206
Ranthambhor Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1207
Gwalior Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1208
Orchha Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1209
Datia Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1210
Golconda Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1211
Hawamahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1212
Jalmahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1213
Nahargarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1214
Jaigarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1215
Sajjangarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1216
Fatehgarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1217
Taragarh Garden Pole


POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1218
Bundi Garden Pole


POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1219
Kota Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1220
Mandu Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1221
Chanderi Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1222
Kalinjar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1223
Bhangarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1224
Sonargarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1225
Junagarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1226
Lalgarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1227
Umaid Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1228
Rambagh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1229
Samode Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1230
Neemrana Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1231
Deogarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1232
Mandawa Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1233
Nawalgarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1234
Dundlod Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1235
Alsisar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1236
Kishangarh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1237
Pushkar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1238
Sambhar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1239
Bikaner Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1240
Laxmivilas Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1241
Nazarbagh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1242
Pratapvilas Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1243
Vijayvilas Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1244
Ainamahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1245
Pragmahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1246
Adalaj Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1247
Sarkhej Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1248
Bhadra Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1249
Jhulta Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1250
Champaner Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1251
Pavagadh Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1252
Uperkot Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1253
Palitana Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1254
Modhera Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1255
Siddhpur Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1256
Patan Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1257
Dholavira Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1258
Lothal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1259
Hampi Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1260
Vijaynagar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1261
Daulatabad Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1262
Raigad Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1263
Sinhagad Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1264
Pratapgad Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1265
Shivneri Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1266
Panhala Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1267
Gingee Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1268
Vellore Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1269
Kangra Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1270
Sheeshmahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1271
Motimahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1272
Rangmahal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1273
Hazarduari Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1274
Dilkusha Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1275
Shalimar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1276
Nishat Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1277
Fatehpur Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1278
Sikandra Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1279
Mandvi Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1280
Bhuj Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1281
Dwarka Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1282
Somnath Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1283
Taranga Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1284
Gondal Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1285
Morbi Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1286
Wankaner Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1287
Limbdi Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1288
Dhrangadhra Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1289
Idar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1290
Vadnagar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1291

Bijapur Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm




DECORATIVE POLE

HI-1292

Bidar Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1293

Raichur Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1294

Gulbarga Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1295

Mysuru Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1296

Hoysala Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1297

Belur Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1298

Halebid Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



DECORATIVE POLE

HI-1299

Badami Garden Pole

POWER	5W, 10W, 15W, 20W, 30W, 50W
CCT	3000K, 4000K, 6000K
MATERIAL	M.S / S.S / Aluminium powder coated
AVAILABLE HEIGHTS	600 mm, 900 mm, 1200 mm



08

HANGING RINGS, HEXAGONS, TRIANGLES & LINEAR

Pendant & Linear Lights

Contemporary hanging LED luminaires — ring, drum, hexagon, triangle, capsule, Y-shape, frame, wave and linear pendants — in sizes from 300 mm to 1800 mm and 24 W to 216 W.

APPLICATIONS Offices · Showrooms · Hotels · Restaurants · Reception

IN THIS SECTION

14 pendant and linear models, HI-1301 to HI-1314 — every model with a size and wattage matrix. Full model list in the index.



PENDANT LIGHT

HI-1301

Bhairav Ring Pendant

MOUNTING Hanging & Surface HEIGHT 55 mm

SPECIFICATIONS

WATT	SIZE	MODEL
24W	300 mm	HI-1301A
36W	450 mm	HI-1301B
48W	600 mm	HI-1301C
72W	750 mm	HI-1301D
90W	900 mm	HI-1301E
120W	1200 mm	HI-1301F



PENDANT LIGHT


HI-1302

Yaman Drum Pendant

MOUNTING Hanging & Surface HEIGHT 70 mm

SPECIFICATIONS

WATT	SIZE	MODEL
24W	300 mm	HI-1302A
36W	450 mm	HI-1302B
48W	600 mm	HI-1302C
72W	750 mm	HI-1302D
90W	900 mm	HI-1302E
120W	1200 mm	HI-1302F



PENDANT LIGHT


HI-1303

Malhar Hexagon Pendant

PROFILE HEIGHT 55 × 70 mm

SPECIFICATIONS

WATT	SIZE	MODEL
30W	300 mm	HI-1303A
40W	450 mm	HI-1303B
52W	600 mm	HI-1303C
80W	750 mm	HI-1303D
100W	900 mm	HI-1303E
130W	1200 mm	HI-1303F



PENDANT LIGHT


HI-1304

Darbari Triangle Pendant

PROFILE 50 × 70 mm

SPECIFICATIONS

WATT	SIZE	MODEL
24W	300 mm	HI-1304A
36W	450 mm	HI-1304B
48W	600 mm	HI-1304C
72W	750 mm	HI-1304D
90W	900 mm	HI-1304E
120W	1200 mm	HI-1304F



PENDANT LIGHT

HI-1305

Kedar Hexagon Moon Pendant

HEIGHT 70 mm

SPECIFICATIONS

WATT	SIZE	MODEL
30W	300 mm	HI-1305A
40W	450 mm	HI-1305B
52W	600 mm	HI-1305C
80W	750 mm	HI-1305D
100W	900 mm	HI-1305E
130W	1200 mm	HI-1305F



PENDANT LIGHT


HI-1306

Bageshri Capsule Pendant

SHAPE Capsule

SPECIFICATIONS

WATT	SIZE	MODEL
72W	300 × 600 mm	HI-1306A
144W	600 × 1200 mm	HI-1306B
168W	900 × 1200 mm	HI-1306C
144W	1200 × 600 mm	HI-1306D
168W	1500 × 600 mm	HI-1306E
216W	1800 × 900 mm	HI-1306F



PENDANT LIGHT

HI-1307

Todi Y-Shape Pendant

PROFILE 50 × 70 mm SHAPE Y-shape

SPECIFICATIONS

WATT	SIZE	MODEL
36W	300 × 300 × 300 mm	HI-1307A
52W	450 × 450 × 450 mm	HI-1307B
72W	600 × 600 × 600 mm	HI-1307C
108W	900 × 900 × 900 mm	HI-1307D



PENDANT LIGHT

HI-1308

Marwa Frame Pendant

PROFILE HEIGHT 50 × 70 mm SHAPE Rectangular frame

SPECIFICATIONS

WATT	SIZE	MODEL
48W	300 × 300 mm	HI-1308A
73W	600 × 300 mm	HI-1308B
96W	600 × 600 mm	HI-1308C
96W	900 × 300 mm	HI-1308D
120W	900 × 600 mm	HI-1308E
144W	900 × 900 mm	HI-1308F
120W	1200 × 300 mm	HI-1308G
144W	1200 × 600 mm	HI-1308H
168W	1200 × 900 mm	HI-1308I



PENDANT LIGHT

HI-1309

Puriya Triangle Moon Pendant

SHAPE Rounded triangle

SPECIFICATIONS

WATT	SIZE	MODEL
30W	300 mm	HI-1309A
40W	450 mm	HI-1309B
52W	600 mm	HI-1309C
80W	750 mm	HI-1309D
100W	900 mm	HI-1309E
130W	1200 mm	HI-1309F



PENDANT LIGHT

HI-1310

Hamsadhwani Linear Pendant

PROFILE HEIGHT 50 × 70 mm

SPECIFICATIONS

WATT	SIZE	MODEL
40W	1200 × 350 × 70 mm	HI-1310A
50W	1200 × 480 × 70 mm	HI-1310B
30W	900 × 300 × 70 mm	HI-1310C
36W	900 × 380 × 70 mm	HI-1310D



PENDANT LIGHT

HI-1311

Bilawal Wave Pendant

PROFILE HEIGHT 70 mm SHAPE Wave

SPECIFICATIONS

WATT	SIZE	MODEL
30W	450 × 120 × 70 mm	HI-1311A
40W	550 × 120 × 70 mm	HI-1311B
60W	650 × 120 × 70 mm	HI-1311C



PENDANT LIGHT

HI-1312

Kafi Wave Panel

SHAPE Wave panel

SPECIFICATIONS

WATT	SIZE	MODEL
50W	1200 × 200 mm	HI-1312A
60W	1200 × 300 mm	HI-1312B



PENDANT LIGHT

HI-1313

Deepak Panel Pendant

PROFILE HEIGHT 50 × 70 mm SHAPE Rectangular panel

SPECIFICATIONS

WATT	SIZE	MODEL
60W	1200 × 150 mm	HI-1313A
50W	900 × 150 mm	HI-1313B
60W	600 × 150 mm	HI-1313C



PENDANT LIGHT

HI-1314

Shree Rounded Linear Pendant

SHAPE Rounded linear

SPECIFICATIONS

WATT	SIZE	MODEL
24W	300 mm	HI-1314A
36W	450 mm	HI-1314B
48W	600 mm	HI-1314C
72W	750 mm	HI-1314D
90W	900 mm	HI-1314E
120W	1200 mm	HI-1314F

HITVIKA INDUSTRIES

LET'S LIGHT UP YOUR PROJECT

Custom specifications, OEM programmes and bulk orders — tell us what you need.

PHONE / WHATSAPP	+91 97247 48250
EMAIL	sales@hitvikaindustries.com
WEBSITE	hitvikaindustries.com
ADDRESS	B-202/203, Sector-25, Electronics GIDC, Gandhinagar, Gujarat 382024, India
OWNER	Virendrasinh Vaghela

SCAN TO VISIT
HITVIKAINDUSTRIES.COM

Specifications are indicative and may change without notice as products are improved. Please confirm current specifications, finishes and warranty terms with your quotation.